

THE STEWARD

Bartholomew County Soil and Water Conservation District

Volume 9, Issue 1 March 2015

SWCD Supervisors:

Dennis Brooks—Chairman
Daniel Lienhoop—Vice
Chair
Chris McKinney
Evan Clouse

District Coordinator:

Heather Shireman

Nate West

Watershed Coordinator: Jenny Whiteside

District Conservationist:Clint Harrison

Points of Interest:

- **♦** Tree Giveaway
- ♦ Driftwood LARE Project
- **♦** Newsletter Sponsors
- ♦ Soil Health
- Kids Maze

Scan this code to be taken to our Facebook

4th Annual Tree Give-Away

April 24-Arbor Day!

5:00 PM

1600 trees will be available on a 1st-Come-1st-Serve Basis.

There will be a limit of 5 trees per person.

Available species include:

Norway Spruce—Pin Oak—Tulip Tree—Flowering Dogwood—Redbud



At the
Bartholomew County
Soil & Water
Conservation District
1040 2nd Street
Columbus, IN



FOR THE KIDS

Make your own pinecone bird feeders!



During the tree give-away, we are asking for new or gently used toys to donate to the Columbus Firemen's Cheer Fund. A donation is not required to receive a tree, but is greatly appreciated.

Donation Ideas:

Books--Stuffed Animals--Bikes--Toys--Baby Items--Games--Movies


Thank you to our newsletter sponsors!

ckman (812)-376-6345

* Pumpkins

Homegrown Vegetables & Fruits

- Sweet Corn
- **Tomatoes**
- Watermelon
- Cantaloupe
- **Blackberries**
- Peaches
- Apples www.hackmansmarket.com
- Including: Flowers,



much more!



Sudan Farms, Inc.

Ag Lime, Gypsum, GPS, and Cover Cropping Services 5541 S 900 E * Columbus, IN 47203

> Office: 812-579-5091 Cell: 812-343-0551

> > sudanfarms@bcremc.net



Susan Arnholt General Manager

Clint Arnholt Operations Manager





E.R. GRAY & ASSOCIATES Land Surveying

E.R. Gray, PLS **President**

er.gray@ergray.com

1428 Lafayette Ave. • PO Box 1357 • Columbus, IN 47202 812.372.7398 • F: 812.372.2175 • ergray.com



Customer Focused Succes

Glen Shireman Hope, IN (812) 546-4994

Soil Testing *Fertilizer & Herbicide Sales & Application* *Seed Sales*



TRAX™ is the perfect fit for producers who are interested in a powerful-yet affordable-crop management system that increases efficiencies, conserves resources, cuts costs, and increases yield.

www.premierag.com



Farm Drainage Installation Waterway Construction Surface Drainage Water Management Practices RTK Equipped

Daryn Romine Owner

Office: 812.546.5952 Cell: 812.350.4527

Owners

Cell (812) 390-9561

Email: stanleysmock@yahoo.com

12705 N 200 W. Edinburgh, IN 46124-9595

STANLEY & LINDA SMOCK

Home (812) 526-6702

Tree Trimming Tree Removal Stump Removal **Painting** Pressure Washing Barn Repair Roof Repair Landscaping



Dan McGuckin, CF, CWB 12875 W Sawmill Rd Columbus, IN 47201

Phone: 812-320-3678 danmcguckin@yahoo.com **Timber Sales/Appraisals Timber Stand Improvement** Tree Planting **Native Grass/Wildflower Planting Forest & Wildlife Management Plans Invasive Plant Management Prescribed Burning**



Post Frame Buildings Excavation Work

Larry Mohr Construction Inc.

1092 W Flat Rock Rd., Flat Rock, IN 47234

Cell: 812-350-5216 Fax: 812-587-5551

E-mail: larry@larrymohrconstruction.com


Larry Mohr 812-587-5216 1-800-340-5216

LARE Grant Water Quality Sampling

The Driftwood LARE Diagnostic Study is well underway! Northwater Consulting has been busy with a long list of tasks. Jeff Boeckler of Northwater has been working on the watershed characterization and geospatial analysis, analyzing trends, model development, and assessing institutional resources. When the study is complete we will have a working plan for the watershed. The plan will included practices that can be implemented by landowners on their property. The practices will help a variety of environmental issues such as soil erosion, nutrient contamination, sediment contamination, and *E. coli* concerns in the Driftwood. These practices will not be mandatory to install, but merely suggestions. We will be working with landowners to identify

practices that could potentially best fit their needs and concerns to address water quality and soil health on their land.

While Northwater is busy working on the guts of the project, the Bartholomew County SWCD will be busy taking samples at five different sites within the watershed. The data collected will be used in the study to determine what environmental concerns should be addressed. At least two samples from each sites will be taken. The first sample will be taken after a heavy flow event. The second sample will be taken during the drier months when there is little to no runoff from the watershed. The parameters being monitored are; pH, temperature, dissolved oxygen, conductivity, turbidity, total nitrogen, organic nitrogen, ammonia nitrogen, total phosphorus, dissolved phosphorus, total suspended solids, and *E.coli*. If you have any questions about the study feel free to contact us!



Zupancic Receives IN Forage Council Award

On February 19, members of the Indiana Forage Council, their families and others interested in the organization met at the Clifty Inn and Falls Restaurant for the 2014 Indiana Forage Council Annual Meeting and seminar.

During this meeting, one of Indiana NRCS' very own, Robert Zupancic - SE Grazing Specialist, was honored with the prestigious Maurice E. Heath Award.

Mr. Heath was on the Purdue faculty for many years and had a strong interest in forages. After he retired in the early 1970s, the Indiana Forage Council established two awards in his honor, one for students and one for adults. This award is presented to someone on an annual basis in recognition of their contributions to forage education and/or soil conservation.

Congratulations to Robert on receiving this incredible honor!



Pictured with Robert (center) is David Trotter, 2015 President (left), and 2014 President Jason Tower (right). Both David and Jason were past recipients of the award.

SOIL HEALTH

Soil Biology—Not Cornstalks—Is the Real Challenge

by Jill Clapperton –From the Progressive Farmer

In agriculture, medicine, and other fields it is common to identify something as a problem when it is really just a symptom, as illustrated by Daniel Davidson's October 2014 article entitled "Cornstalks Present Big Challenges."

Corn stalks break down slowly when soil biology is not optimal. Inadequate soil biology is the problem. Slow residue cycling is just the symptom.

Optimizing soil biology begins with practices that portray

and promote soil as a habitat. Tillage is one of the most detrimental practices affecting soil health. It collapses the soil lattice structure with all its maze of soil pores, cuts up the carbon and micronutrient trading network of the mycorrhizal fungi, destroys the infrastructure of the soil habitat, and turns the

microarthropods, that are responsible for much of the decomposition for woody stalks, upside down.

The use of tillage also selects for only the organisms that can function in a dysfunctional unsustainable system.

Inappropriate, excessive, or prophylactic use of fungicides, insecticides, and nematicides can also significantly affect the ability of the soil to function in a way that benefits soil and plant health. Fungi are one of the most important organisms responsible for breaking down woody residues like corn stalks. They gain access to the corn stalks from the holes in the stalks made by insects, and soil microartropods — like mites and collembola that chew on the dead and dying corn stalks. Bt technology can actually be beneficial when it leads to the reduced use of insecticide. An insecticide takes out pests but also kills insect predators and those that begin the residue decomposition process.

In order to fully realize the benefits of a functioning soil agroecosystem you need to maintain the soil habitat and feed the inhabitants a quality diet. If you want to optimize performance, then like athletes, you need to give your soil a performance-based, high protein, balanced carbon diet. Both above- and below-ground residues are the food (source of energy and nutrients) that drives soil ecosystem functions. So Dr. Davidson's article was correct to

discourage the removal of residue.

Corn stalks are very high in carbon but low in nitrogen (protein). This makes them good as an energy source but they cannot be "eaten" unless something provides the nitrogen. This means the rate of cornstalks being cycled will depend on the amount of soil biology AND the amount of protein. The best way to

provide high protein material is through the use of crop rotations and/or cover crops. For continuous corn systems, annual, and in some cases perennial, cover-crops need to be used. Tillage increases residue decay rates because it supplies nitrogen by decomposing (mining) stable organic material and gassing off carbon dioxide while leaving nitrogen behind. This nitrogen is then used by organisms to help them decompose the high carbon-content residue. The net amount of stable organic matter that remains in the soil is actually less than the amount mined by the tillage because some nitrogen is lost as nitrous oxides in the process.

Tillage has detrimental effects on soil structure, water infiltration rates, and ecosystem processes but it is especially destructive to soil biology. Species like earthworms, mycorrhizal fungi, many of the beneficial ground beetles, and the mites that start the residue degradation processes



tolerate almost no disturbance of surface residue and soil. Nightcrawlers (deep burrowing earthworms) live in permanent burrows. Destroying these burrows and the middens (food stores) that are placed over the burrows means they cannot survive in tilled systems. In continuous corn systems it is common to find whole leaves being pulled into nightcrawler burrows as soon as they fall.

The above-ground residues are essential to insulate the soil from increasing and decreasing diurnal and seasonal temperatures. Insulating soils allow the biology to function for a much longer period during the cool months of the year. In well insulated no-till soils, earthworms will be working after the snow flies and as long as the soil remains above freezing.

Placing the residues in contact with soil biota is a legitimate technique if it can be done without movement from the field due to wind or rainfall events. Chopping corn heads increases the amount of residue moving in the field, leading to bare spots and then piles in the field. Residue non-uniformity can lead to greater patchiness of activity, and makes the field difficult to seed. Harvesting in a manner that leaves the stalks more intact and erect while crushing the outer layer of stalk provides the best scenario for continuous corn. Totally flattening the residue will increase wind speed at the soil surface and lead to increases in soil temperature fluctuations.

It has been well documented that having a green growing plant will increase the decomposition of woody materials, reduce diseases in the next year, maintain soil biological activity longer in the season, and increase N and C mineralization or nutrient recycling. The use of cover crops especially legumes like hairy vetch, clovers, and field peas are obvious choices to increase the amount of nitrogen in the system. These can be mixed with grasses like annual ryegrass, cereal rye, or oats to provide more high nitrogen biomass. Brassica species are low in fiber (carbon), scavenge existing nitrogen, produce large leaves to raise the humidity in the canopy, and grow late into the fall. Most importantly brassicas stimulate the growth and activity of soil animals further stimulating decomposition, mineralization, and overall microbial activity. The act of drilling cover crops can disrupt the residue cover a bit but the subsequent plant growth will keep it stable on the field. Using alfalfa as a perennial cover-crop or clovers as companions in continuous

corn are promising techniques.

Annual plants probably work best as cover crops in the central and southern parts of the U.S. Corn Belt because there is more time at moderate temperatures for the soil biota to function between corn crops. Areas farther north require more creativity to extend the time of biologically active soils. High-boy seed distributors, aerial seeding, and clay seed balls show promise towards being able to establish cover crops before the corn comes off. Livestock grazing is probably one of the oldest and most economical techniques for extending the "soil biology" season. The rumen of a cow maintains an ideal temperature to cycle high carbon residue if it is mixed with a source of protein. Appropriate (controlled) grazing by livestock provides an excellent method of processing residue in continuous corn systems, and turns the cover crop into an economical forage crop. Protein can be supplied by the cover crop or through supplementation with DDGs, soybean meal, or other protein sources. One common trick is to use high-protein cover crops grown in adjacent fields in conjunction with corn stalks to supply the balanced diet.

It is critical to recognize that corn stalks are not the problem: they are a critical solution. If we maintain the habitat and feed the below-ground organisms or soil biota a balanced diet they will in turn act to build better soil structure, recycle nutrients from both the above-ground and root residues, making our soils more productive and profitable.




Adult earthworms and earthworm eggs, also known as cocoon.



We are committed to providing our customers with quality service through effective communication, professional integrity, and mutual respect.

Contact Us!

Bartholomew County Soil and Water Conservation District Heather Shireman & Jennifer Whiteside 812-378-1280 ext. 3 heather.shireman@in.nacdnet.net jennifer.whiteside@in.nacdnet.net





Marking Flags: 20¢ per flag 30" staff (Pink, Green, Orange) Bundle of 100 flags = \$20 Rain Barrels: \$65

The district holds its monthly meeting on the second Wednesday of each month at 5pm at the district office located at 1040 2nd Street in Columbus, Indiana. The meeting is open to the public.

Don't Trash Me, Pass Me!



PRSRT STD
OLUMBUS, IN
PAID
PERMIT NO. 139

We bsite: www.bartholomewswcd.org

Phone: (812) 378-1280 ext. 3 Fax: (812) 378-1213



